

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BlB2: Beltsville-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
BlC3: Beltsville-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
BtA: Butlertown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
BtB2: Butlertown-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
BtC3: Butlertown-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Co: Coastal Beaches----	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
Es: Escarpments-----	100	Not rated		Not rated		Not rated	
EvB: Evesboro-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvC: Evesboro-----	100	Slight Slope/erodibility	0.18	Moderate Slope/erodibility	0.56	Moderately suited Slope Sandiness	0.50 0.50
EvE: Evesboro-----	100	Moderate Slope/erodibility	0.47	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
FsA: Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
FsB: Fallsington-----	50	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Poorly suited Wetness Strength	1.00 0.50
Fallsington-----	50	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Poorly suited Wetness Strength	1.00 0.50
Gp: Gravel And Borrow Pits-----	95	Not rated		Not rated		Not rated	
HoB2: Howell-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
HoC2: Howell-----	100	Slight Slope/erodibility	0.22	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
HoD2: Howell-----	100	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
HwB2: Howell-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
HyC3: Howell-----	100	Slight Slope/erodibility	0.22	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HyD3: Howell-----	100	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
ImB: Tuka-----	95	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
KpA: Keyport-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
KpB2: Keyport-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MlA: Marr-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MlB2: Marr-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MlC2: Marr-----	100	Slight Slope/erodibility	0.18	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
MlC3: Marr-----	100	Slight Slope/erodibility	0.18	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
MlD3: Marr-----	100	Moderate Slope/erodibility	0.31	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MmA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
MmB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Well suited	
MnA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MnC2: Matapeake-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MnC3: Matapeake-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MnD3: Matapeake-----	100	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MtA: Mattapex-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MtB2: Mattapex-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MuA: Mattapex-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MuB2: Mattapex-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MuD3: Mattapex-----	100	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
My: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
OcB: Ochlockonee-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Strength	0.50
OtA: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OtB: Othello-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Poorly suited Wetness Strength	1.00 0.50
RdB: Rumford-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
RdC2: Rumford-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
RdD2: Rumford-----	100	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope	1.00
ReB: Rumford-----	70	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
Evesboro-----	30	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
ReC: Rumford-----	60	Slight Slope/erodibility	0.18	Moderate Slope/erodibility	0.56	Moderately suited Slope Strength	0.50 0.50
Evesboro-----	40	Slight Slope/erodibility	0.18	Moderate Slope/erodibility	0.56	Moderately suited Slope Sandiness	0.50 0.50
ReD: Evesboro-----	50	Moderate Slope/erodibility	0.31	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
Rumford-----	50	Moderate Slope/erodibility	0.31	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
SaA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SaB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
SaC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
ShA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
ShC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
ShC3: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
ShD2: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
ShD3: Sassafras-----	100	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SlA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SlB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
SlC3: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
SpB2: Sassafras-----	60	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Strength	0.50
Westphalia-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
SpC3: Sassafras-----	60	Slight Slope/erodibility	0.18	Moderate Slope/erodibility	0.56	Moderately suited Slope Strength	0.50 0.50
Westphalia-----	40	Slight Slope/erodibility	0.22	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
SrE: Sassafras-----	60	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Westphalia-----	40	Moderate Slope/erodibility	0.61	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sx: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WaC2: Westphalia-----	100	Slight Slope/erodibility	0.22	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
WaC3: Westphalia-----	100	Slight Slope/erodibility	0.22	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
WaD2: Westphalia-----	100	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
WaD3: Westphalia-----	100	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
WoA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WoB: Woodstown-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

